



**DRIP IRRIGATION FITTINGS**  
**SEALING RUBBERS**

# DRIP IRRIGATION FITTINGS

## SEALING RUBBERS



### GROOVED SEALING RUBBER

Used to connect offtake connector to pe main pipe

Product code	Size	Bag quantity	Box quantity	Box weight
016 COC D19 000 C16	16 mm	50	2000	7,3 kg
020 COC D22 000 C20	20 mm	50	1600	7,1 kg



### STRAIGHT SEALING RUBBER

Used to connect offtake connector to pe main pipe

016 COS D14 000 C14	14 mm	50	3000	5,6 kg
016 COS D19 000 C16	16 mm	50	2250	7,1 kg
020 COS D22 000 C20	20 mm	50	1400	6,4 kg
025 COS D26 000 C25	25 mm	50	1000	5,8 kg



### CONICAL SEALING RUBBER

Used to connect offtake connector to pe main pipe

016 COT D16 000 C15	15 mm	50	2250	5,6 kg
016 COT D19 000 C16	16 mm	50	2250	6,4 kg



**HEADQUARTERS**

Orhan Gazi Mah. Isıso San. Sit.  
15. Yol Y Blok No: 33 34538  
Esenyurt, İstanbul, Turkey  
+90 212 623 23 08

**FACTORY**

Organize Sanayi Bölgesi Bursa  
Karayolu 6. km. 2. Cd. No: 2  
Çanakkale, Turkey  
+90 286 214 32 07

**Website** [www.sunstream.com.tr](http://www.sunstream.com.tr) | **Support** [info@sunstream.com.tr](mailto:info@sunstream.com.tr)

© 2022 İSKO Plastik ve Kalıp San. Tic. A.Ş.